JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 12

AUTHOR INDEX

		No.	Page
	BERMUDEZ, P. J. (See LALICKER, C. G.)		
1.	BERRY, CHARLES T., Ophiurans from the Upper Senonian of South Limburg, Holland	(1)	61
2.	BERTHIAUME, SHERIDAN A., Orbitoids from the Crescent Formation (Eocene) of Washington	(5)	494
3.	BRANSON, E. B., and MEHL, M. G., The Conodont Genus *Icriodus* and Its Stratigraphic Distribution	(2)	156
4.	CASTER, KENNETH E., A Restudy of the Tracks of *Paramphibus*	(1)	3
	CLOUD, PRESTON E. (See COOPER, G. ARTHUR)		
	COLE, W. STORRS (See VAUGHAN, THOMAS WAYLAND)		
5.	COOPER, G. ARTHUR, and CLOUD, PRESTON E., New Devonian Fossils from Calhoun County, Illinois	(5)	444
6.	CORYELL, H. N., and SOHN, I. G., Ostracoda from the Mauch Chunk Mississippian of West Virginia	(6)	596
7.	CRESPIN, IRENE, Upper Cretaceous Foraminifera from the Northwest Basin, Western Australia	(4)	391
8.	CULLISON, JAMES S., Dutchtown Fauna of Southeastern Missouri	(3)	219
9.	CUSHMAN, J. A., and LEROY, L. W., A Microfauna from the Vaqueros Formation, Lower Miocene, Simi Valley, Ventura County, California	(2)	117
10.	DAVENPORT, C. B., Growth Lines in Fossil Pectens as Indicators of Past Climates	(5)	514
11.	DECKER, C. E., A Permian Eurypterid from Oklahoma	(4)	396
12.	EFFINGER, WILLIAM LLOYD, The Gries Ranch Fauna (Oligocene) of Western Washington	(4)	355
13.	ELIAS, MAXIM K., Studies of Late Paleozoic Ammonoids	(1)	86
14.	ELLIS, BROOKS F., A Catalogue of Foraminifera	(6)	604
15.	FRITZ, MADELEINE A., Resemblance of the Coral Multisolenia to Desmidopora	(3)	299
16.	FURNISH, W. M., Conodonts from the Prairie du Chien (Lower Ordovician) Beds of the Upper Mississippi Valley	(4)	318
	FURNISH, W. M., (See MILLER, A. K.)		
17.	GARDNER, JULIA, Lesueur's Walnut Hills Fossil Shells	(3)	300
18.	GARRETT, J. B., The Hackberry Assemblage—An Interesting Foraminiferal Fauna of Post-Vicksburg Age from Deep Wells in the Gulf Coast	(4)	309
19.	GIRTY, GEORGE H., Geologic Age of *Terebratula uta* Marcou	(5)	517
20.	HANNA, G. DALLAS, and HERTLEIN, LEO GEORGE, New Tertiary Mollusks from Western North America	(1)	106
	HASS, W. H. (See KNECHTEL)		
	HERTLEIN, LEO GEORGE (See HANNA, G. DALLAS)		
21.	HOWELL, B. F., and MASON, JOHN F., Correlation of Middle Cambrian Faunas of North America	(3)	295
22.	HOWELL, B. F., *Agraulos gibbus*, New Name for *Agraulos convexus* Howell, Preoccupied	(5)	516
23.	KINDLE, E. M., A Pteropod Record of Current Direction	(5)	515
24.	KING, RALPH H., New Chonetidae and Productidae from Pennsylvanian and Permian Strata of North-central Texas	(3)	257
25.	KING, RALPH H., Pennsylvanian Sponges of North-central Texas	(5)	498
26.	KNECHTEL, M. M., and HASS, W. H., Kinderhook Conodonts from Little Rocky Mountains, Northern Montana	(5)	518
27.	LALICKER, C. G., and BERMUDEZ, P. J., Some Foraminifera of the Family Textulariidae from the Eocene of Cuba	(2)	170
	LEROY, L. W. (See CUSHMAN, J. A.)		
28.	LOCHMAN, CHRISTINA, Upper Cambrian Faunas of the Cap Mountain Formation of Texas	(1)	72

		No.	Page
29.	LOCHMAN, CHRISTINA, Middle and Upper Cambrian Faunas from Western Newfoundland	(5)	461
30.	MASON, JOHN F., Cambrian Faunal Succession in Nevada and California	(3)	287
	MASON, JOHN F. (See HOWELL, B. F.)		
31.	MCNAIR, ANDREW H., *Loculipora implicata*, new name for *Loculipora loculata* McNair (not Hall)	(3)	302
32.	MCNAIR, ANDREW H., The Preparation of Oriented Thin Sections and a Method of Cleaning Small Fossils	(4)	397
	MEHL, M. G. (See BRANSON, E. B.)		
33.	MILLER, A. K., and FURNISH, W. M., Aturias from the Tertiary of Mexico	(2)	149
34.	MILLER, A. K., and MOORE, CARL A., Cephalopods from the Carboniferous Morrow Group of Northern Arkansas and Oklahoma	(4)	341
	MOORE, CARL A. (See MILLER, A. K.)		
35.	MURRAY, GROVER, JR., Claiborne Eocene Species of the Ostracode Genus *Loxoconcha*	(6)	586
36.	OKULITCH, VLADIMIR J., Supposed Columella in Tetradium fibratum Safford.	(3)	298
37.	PECK, RAYMOND E., A New Family of Charophyta from the Lower Cretaceous of Texas	(2)	173
38.	ROBERTSON, G. M., Regarding *Bothriolepis stensiöi* Sohn	(3)	299
39.	ROBERTSON, GEORGE R., New Genera of Ostracoderms from the Upper Silurian of Oesel	(5)	486
40.	RUSSELL, LORIS S., New Species of Gastropoda from the Oligocene of Colorado	(5)	505
41.	SCOTT, HAROLD W., A Stomatopod from the Mississippian of Central Montana	(5)	508
42.	SOHN, I. G., *Bothriolepis stensiöi*, A New Devonian Placoderm from Gaspe, Canada	(1)	111
	SOHN, I. G. (See CORYELL, H. N.)		
43.	STAINBROOK, MERRILL A., Atrypa and Stropheodonta from the Cedar Valley Beds of Iowa	(3)	229
44.	STAUFFER, CLINTON R., Conodonts of the Olentangy Shale	(5)	411
45.	STEPHENSON, MORTON B., Miocene and Pliocene Ostracoda of the Genus *Cytheridea* from Florida	(2)	127
46.	STEPHENSON, MORTON B., Lower Eocene Ostracoda of the Genus *Cytheridea* from Alabama	(6)	570
47.	STERNBERG, C. M., Monoclonius from Southeastern Alberta Compared with Centrosaurus	(3)	284
48.	STUMM, ERWIN C., Upper Middle Devonian Rugose Corals of the Nevada Limestone	(5)	478
49.	SUTTON, A. H., Taxonomy of Mississippian Productidae	(6)	537
50.	THALMANN, HANS E., Bibliography and Index to New Genera, Species, and Varieties of Foraminifera for the Year 1935	(2)	177
51.	VAUGHAN, THOMAS WAYLAND, and COLE, W. STORRS, *Triplalepidina veracruziana*, a New Genus and Species of Orbitoidal Foraminifera from the Eocene of Mexico	(2)	167
52.	WETMORE, ALEXANDER, A Fossil Duck from the Eocene of Utah	(3)	280
	WHITCOMB, LAWRENCE (See WILLARD, BRADFORD)		
53.	WILLOUGHBY, MARION FRANCES, Nomenclature of *Lindströmia* Nicholson and Thomson and its Genotype	(1)	113
54.	WILLARD, BRADFORD, and WHITCOMB, LAWRENCE, Onondaga Paint-ore Fauna from Pennsylvania	(5)	511

SUBJECT INDEX

(Numbers given in following index refer to papers as listed in foregoing author index.)

Alabama: Eocene ostracodes (46).
Ammonoids: Carboniferous, Permian (13).
Arkansas: Carboniferous (Morrow) cephalopods (34).
Australia: Cretaceous Foraminifera (7).

Birds: Eocene, Utah (52).
Bothriolepis: stensiöi (38); Devonian, Canada (42).
Brachiopods: Devonian, Illinois (5), Iowa (43); Carboniferous, Triassic (19); Mississippian Productidae (49); Pennsylvanian, Permian, Texas (24).
Bryozoa: Ordovician, Missouri (8); Devonian, Illinois (5); *Loculipora* (31).

California: Cambrian (30); Miocene Foraminifera (9).
Cambrian fossils: North America (21); Vermont trilobites (22); Texas (28); Newfoundland (29); Nevada and California (30).
Canada: *Bothriolepis*, Devonian (42); dinosaur (47).
Carboniferous: see ammonoids, cephalopods, brachiopods, sponges, conodonts.
Cephalopods: Devonian, Illinois (5); Carboniferous, Kansas (13), Arkansas and Oklahoma (34); Tertiary, Mexico (33).
Climates: significance of pectens, pelecypods (10).
Colorado: Oligocene gastropods (40).
Conodonts: Ordovician (16); Devonian (3, 44); Mississippian, Montana (26).
Corals: Paleozoic (53); Ordovician (36); Silurian (15); Devonian (48).
Cretaceous: Holland ophiurans (1); Australia Foraminifera (7); Texas plants (37).
Cuba: Eocene Foraminifera (27).
Cytheridea: Eocene, Alabama (46); Miocene and Pliocene, Florida (45).

Devonian: brachiopods, Illinois (5), Iowa (43); conodonts (3, 44); corals of Nevada limestone (48); fauna in Pennsylvania (54); tracks of *Paramphibus* (4); *Bothriolepis*, Canada (42).
Dinosaur: Canada (47).

Echinoderms: Cretaceous, Holland (1).
Eocene: Foraminifera, Cuba (27), Mexico (51), Washington orbitoids (2); ostracodes (35, 46); Utah birds (52).
Europe: Holland ophiurans (1).
Eurypterid: Permian, Oklahoma (11).

Fishes: Ordovician, Missouri (8); Tertiary, Walnut Hills (17).
Florida: Miocene and Pliocene ostracodes (45).
Foraminifera: Cretaceous, Australia (7); Eocene, Cuba (27), Mexico (51), Washington (2); Oligocene, Gulf Coast (18); Miocene, California (9); bibliography and index for 1935 (50); catalogue of (14).

Gastropods: Ordovician, Missouri (8); Tertiary, Western North America (20); Oligocene, Colorado (40), Washington (12).

Holland: Cretaceous ophiurans (1).

Illinois: Devonian fossils (5).
Iowa: Devonian brachiopods (43).
International Paleontological Union: Report on the Meeting at Moscow; Constitution; By-laws, no. 3, p. 303.

Meeting of the Society of Economic Paleontologists and Mineralogists, Summarized Minutes of the Twelfth Annual, no. 4, p. 401.
Members of the Society of Economic Paleontologists and Mineralogists, no. 2, p. 209.
Mexico: Tertiary cephalopods (33); Eocene Foraminifera (51).
Miocene: California Foraminifera (9); Florida ostracodes (45).
Mississippian: conodonts, Montana (26); Ostracoda, West Virginia (6); Productidae classification (49); stomatopods, Montana (41).
Missouri: Ordovician fauna (8).
Montana: Carboniferous conodonts (26); Mississippian stomatopods (41).

Newfoundland: Cambrian fauna (29).
Nevada: Cambrian fauna (30).

Ohio: Devonian conodonts (44).
Oklahoma: Carboniferous (Morrow) cephalopods (34); Permian eurypterid (11).
Oligocene: Washington fauna (12); Colorado gastropods (40).
Ophiurans: Cretaceous, Holland (1).
Orbitoids: Eocene, Mexico (51), Washington (2).
Ordovician: Mississippi Valley conodonts (16); Missouri fauna (8).
Ostracoda: Ordovician, Missouri (8); Mississippian, West Virginia (6); Eocene, *Cytheridea*, (46), *Loxoconcha* (35); Miocene and Pliocene, *Cytheridea* (45).
Ostracoderms: Silurian (39).

Paleontological Society: Officers and Members, no. 5, p. 521.

Paramphibus: Devonian, Pennsylvania (4).
Pectens: Indicator of climates (10).
Pelecypods: Ordovician, Missouri (8); Devonian, Illinois (5); Tertiary (20); Oligocene, Washington (12); Miocene, indicators of climates (10).
Pennsylvania: Devonian fauna (54).
Pennsylvanian: Texas brachiopods (24); Texas sponges (25).
Permian: see ammonoids, brachiopods, cephalopods.
Plants: Cretaceous, Texas (37).
Pliocene: Ostracoda, Florida (45).
Productidae: Mississippian brachiopods (49).
Pteropod: record of current direction (23).

Silurian: Ostracoderms (39).
Sponges: Pennsylvanian, Texas (25).

Tertiary: see Foraminifera, cephalopods, gastropods, Ostracoda.
Technique (32).
Texas: Cambrian fauna (28); Carboniferous, brachiopods (24), sponges (25); Cretaceous plants (37).
Tracks of *Paramphibus;* Devonian (4).
Triassic: brachiopods, *Terebratula uta* (19).
Trilobites: Cambrian (22); Devonian, Illinois (5).

Washington: Eocene Foraminifera (2); Oligocene fauna (12).
West Virginia: Mississippian Ostracoda (6).